

Letter No. OCPL/881

Date: 20/11/2020



Odisha Coal and Power Limited
(A Government of Odisha Company)
CIN U10100OR2015SGC018623
Website: www.ocpl.org.in

To,

The Member Secretary,
State Environment Impact Assessment Authority (SEIAA), Odisha
Qr. No. 5RF-2/1, Unit-IX,
Bhubaneswar – 751022

Sub: Submission of Half Yearly Compliance Report of the Environmental Clearance conditions of “OCPL Mines Colony – Manoharpur Township Project in a plot area of 98256.92 Sq.mt over an area of 24.28 acres with built-up area of 37622 Sq.mt” at Sarbahal Village, Tehsil Hemgiri, District Sundargarh of Odisha Coal & Power Limited.

Ref: (i) EC letter Ref. No. 7669/SEIAA (SEIAA File No. 111991/05-MIS/07-2019) dated 13.12.2019 (Refer Appendix I)

Dear Sir,

In reference to the notification issued by MoEF&CC vide letter S.O. 5845 (E) dated 26.11.2018 and Environmental Clearance as referred above in respect of “OCPL Mines Colony – Manoharpur Township Project” of Odisha Coal & Power Limited located at Sarbahal Village, Tehsil Hemgiri, Dist. Sundargarh, Odisha. Please find enclosed herewith Half Yearly Compliance Report in soft copy (CD) as well as hard copy for the period of April 2020 to September 2020.

This is for your kind information and needful action at your end.

Yours Faithfully

Authorized Signatory
(AGM – Mechanical)

Copy to:

1. The Joint Director(s), Regional Office, Eastern Region, Ministry of Environment, Forest & Climate Change, A-3, Chandrasekharapur, Bhubaneswar-751023 (soft copy of compliance report sent through email in reference to MoEF&CC-ERO letter dt. 11.05.2020; File No. 106-12/EPE)
2. The Scientist ('E' & Regional Directorate), Central Pollution Control Board, South end Conclave, Block 502, 5th & 6th Floors, 1582 Razidanga Main Road, Kolkata-700107.
3. The Member Secretary, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilkanthnagar, Unit VIII, Bhubaneswar 751012.

HALF YEARLY COMPLIANCE REPORT

For

Environmental Conditions

April 2020 - September 2020

OCPL MINES COLONY - MANOHARPUR TOWNSHIP PROJECT



Odisha Coal & Power Limited,
Zone-A, Ground Floor,
Fortune Tower, Bhubaneswar-751023, Odisha
Web: www.ocpl.org.in



POST ENVIRONMENTAL CLEARANCE (EC) COMPLIANCE REPORT

OCPL Mines Colony – Manoharpur Township Project

EC Letter Ref. No. 7669/SEIAA (SEIAA File No: 111991/05-MIS/07-2019) Dated 13.12.2019

| Sr. No. | EC Letter Condition | Compliance |
|--|---|--|
| PART A - SPECIFIC CONDITIONS | | |
| 1. | Consent to Establish / Operate for the project shall be obtained from the State Pollution Control Board as required under the Air (Prevention and Control of Pollution) Act, 1981 and the Water (Prevention and Control of Pollution) Act, 1974. | Consent to Establish (CTE) has been obtained. |
| 2. | The approval of the competent authority shall be obtained for structural safety of buildings due to earthquakes, adequacy of firefighting equipment etc. as per National Building Code including protection measures from lightening etc. | Will be complied with as per local building bye laws or applicable norms. |
| 3. | The project proponent shall obtain all necessary clearance / permission from all relevant agencies including town planning authority before commencement of work. All the construction shall be done in accordance with the local building byelaws. | Agreed. An approval in this regards has been obtained from Block Development Officer (BDO), Hemgir. |
| 4. | The project proponent shall ensure that the guidelines for building and construction projects issued vide this Ministry's OM No. 19-2/2013-IA.III dated 9 th June, 2015 are followed to ensure sustainable environmental management. | Noted. |
| 5. | The proponent shall ensure natural environmental amenities of the area preserved in the township. Elephant proof barrier shall be provided. | Agreed. OCPL would like to submit that the Site Specific Wildlife Conservation Plan for Manoharpur Coal Mine Project (MCMP) has been approved by Principal Chief Conservator of Forests (PCCF-WL) & Chief Wildlife Warden (CWW), Odisha which is being implemented. |
| Topography and Natural Drainage | | |
| 6. | The natural drain system should be maintained for ensuring unrestricted flow of | Due care will be taken during the cutting and filling operations to minimize the same. Also, |



| | | |
|--|--|--|
| | <p>water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other Sustainable Urban Drainage System (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Building shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.</p> | <p>scientifically designed storm water drainage network will be provided so that natural drainage of the project area will not get obstruct. The generated storm water will be recharged to increase the ground water table through the provision of rain water harvesting pits.</p> |
|--|--|--|

Water Requirement, Conservation, Rain Water Harvesting, and Ground Water Recharge

| | | |
|-----|---|---|
| 7. | <p>As proposed, fresh water requirement from Hirakud Reservoir shall not exceed 129 KLD.</p> | <p>Noted.</p> |
| 8. | <p>A certificate shall be obtained from the local body supplying water, specifying the total annual water availability with the local authority, the quantity of water already committed, the quantity of water allotted to the project under consideration and the balance water available. This should be specified separately for ground water and surface water sources, ensuring that there is no impact on other users.</p> | <p>Approval for withdrawal of water from Hirakud Reservoir has been obtained from Dept. of Water Resources, Govt. of Odisha.</p> |
| 9. | <p>The quantity of fresh water usage, water recycling and rain water harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC and SEIAA, Odisha along with six monthly monitoring reports.</p> | <p>Currently, the proposed project is under construction stage. Hence, this condition will be complied with during the operation phase of the said project.</p> |
| 10. | <p>Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.</p> | <p>Dual plumbing pipeline for domestic water and waste water will be provided within the project premises. Also, the treated recycled waste water to be obtained from STP will be utilized in landscaping / irrigation.</p> |
| 11. | <p>Use of water saving devices / fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.</p> | <p>Water conservation measures to the possible extent will be adopted to save the water.</p> |



| | | |
|-------------------------------|---|---|
| 12. | Separation of grey and black water should be done by the use of dual plumbing system. In case of single stack system separate recirculation lines for flushing by giving dual plumbing system be done. | Kindly refer point no. 10 as mentioned above. |
| 13. | Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred. | Noted. |
| 14. | The local bye-law provisions on rain water harvesting should be followed. If local bye-law provision is not available, adequate provisions for storage and recharge should be followed as per the Ministry of Urban Development Model Building Byelaws, 2016. Rain water harvesting recharge pits of adequate nos. shall be provided. | Rain water harvesting will be implemented in confirmation to local building bye laws. |
| 15. | Any ground water dewatering should be properly managed and shall conform to the approvals and the guidelines of the CGWA in the matter. Formal approval shall be taken from the CGWA for any ground water abstraction or dewatering. The proponent shall also obtain permission from Water Resources Department, Govt. of Odisha for drawal of water. | Not applicable as no ground water dewatering is proposed in the said project. Proponent has obtained the permission for withdrawal of water from Hirakud Reservoir from Department of Water Resource (DoWR), Govt. of Odisha. |
| 16. | A complete plan for rainwater harvesting at the proposed site shall be drawn up and implemented before operation phase in letter and spirit to recharge ground water in the area. The complete rainwater harvesting plan after implementation shall be submitted to SEIAA. | Kindly refer the Point no. 14 as mentioned above. |
| Solid Waste Management | | |
| 17. | The provisions of the Solid Waste (Management) Rules, 2016, E-Waste (Management) Rules 2016, and the Plastic Waste (Management) Rules 2016 shall be followed. | Will be complied with as per applicable norms. |
| 18. | Disposal of muck during construction phase shall not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general | Noted. |

Handwritten signature

| | | |
|---|--|---|
| | safety and health aspects of people, only in approved sites with the approval of competent authority. | |
| 19. | Separate wet and dry bins must be provided in each unit and at the ground level for facilitating segregation of waste. Solid waste shall be segregated into wet garbage and inert materials. Wet garbage shall be composted in Organic Waste Converter. Adequate area shall be provided for solid waste management within the premises which will include area for segregation, composting. The inert waste from group housing project will be sent to dumping site. | Noted and will be complied with during the operation phase of the said project. |
| 20. | The proponent shall mandatorily install Organic Waste Converter for solid waste management within the premises before start of operation phase. | Agreed. |
| 21. | Any hazardous waste generated during construction phase, shall be disposed off as per applicable rules and norms with necessary approvals of the State Pollution Control Board. | Agreed. |
| 22. | A certificate from the competent authority handling municipal solid wastes, indicating the existing civic capacities of handling and their adequacy to cater to the Municipal Solid Waste generated from project shall be obtained. | Noted. |
| Sewage Treatment Plant & Maintenance | | |
| 23. | Sewage shall be treated in 2 nos. of STP of capacities 50 KLD and 70 KLD respectively. The treated effluent from STP shall be recycled/re-used for flushing, gardening and DG cooling. STP's of two nos. of 50 KLD and 70 KLD capacity shall be installed before start of the operation phase of the building. | Agreed and will be complied with. |
| 24. | Approval from the competent authority shall be obtained for discharging treated effluent / untreated effluents into the public sewer / disposal / drainage systems along with the final disposal point. | Not applicable as the project proponent will not discharge any treated/untreated effluent outside the project premises. |

| | | |
|-----|---|--|
| 25. | No sewage or untreated effluent water would be discharged through storm water drains. | Agreed and Noted. |
| 26. | The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Odisha before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted and report shall be submitted to SPCB. Necessary measures should be made to mitigate the odour problem from STP. | Agreed and will be complied with during the operation phase of the said project. |
| 27. | Sludge from the onsite sewage treatment, including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) manual on Sewerage and Sewage Treatment systems, 2013. | Sludge to be generated from onsite sewage treatment plant will not be hazardous in nature and can be used as organic manure in the landscaping / horticulture development within the project premises. |

Energy Conservation

| | | |
|-----|---|---|
| 28. | Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the states which have notified their own ECBC, shall comply with the state ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window and roof u-values shall be as per ECBC specifications. | Trade off approach will be used to comply this condition. LED will be provided for lighting of outdoor and common areas. |
| 29. | Energy conservation measures like installation of CFLs/LED for the lighting the area outside the building. | Noted and will comply with during operation phase. |
| 30. | Solar, wind or other renewable energy shall be mandatorily installed to meet electricity generation equivalent to 5% of the demand load or as per the state level / local building | Solar panel of 25 Kwp will be provided within the site to meet the electricity generation equivalent to 5% of total power demand of the said project. |

ms

| | | |
|--|---|--|
| | bye-laws requirement, whichever is higher. Follow super ECBC requirement of ECBC 2017 and provide compliance report. | |
| 31. | Solar power shall be used for lighting in the apartment to reduce the power load on grid. Separate electric meter shall be installed for solar power. Solar water heating shall be provided to meet 20% of the hot water demand of the commercial and institutional building or as per the requirement of the local building bye-laws requirement, whichever is higher. Residential buildings are also recommended to meet its hot water demand from solar water heaters as far as possible. | Kindly refer the Point no. 30 as mentioned above. |
| 32. | Use of environment friendly materials in bricks, blocks and other construction materials, shall be required for at least 20% of the construction material quantity. These include fly ash bricks, hollow bricks, AACs, Fly ash lime gypsum blocks, compressed earth blocks and other environment friendly materials. Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27 th August 2003 and 25 th January 2016. Ready mixed concrete must be used in building construction. | Environment friendly material i.e. fly ash bricks, RMC etc. is being used as building material in the construction of the said project. |
| 33. | A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project shall be submitted. | Noted and will comply with. |
| Air Quality and Noise Quality Monitoring & Preservation | | |
| 34. | Construction site shall be adequately barricaded before the construction begins. Dust, smoke, & other air pollution prevention measures shall be provided for the building as well as the site. There measures shall include screens for the building under construction, continuous dust / wind breaking walls around the site (at least 3 meter height). Plastic / tarpaulin sheet covers shall be provided for | The construction site has been adequately barricaded to prevent the dust, smoke & other air pollutants. Building construction material i.e. sand, cement etc. are being stored and covered properly with tarpaulin sheet, green nets, jute bags etc. to control the dust emissions. |

John

| | | |
|-----|--|---|
| | vehicles bringing in sand, cement, murrum and other construction materials prone to causing dust pollution at the site as well as taking out debris from the site. Sand, murrum, loose soil, cement, stored on site shall be covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces and loose soil shall be adequately sprinkled with water to suppress dust. | Water sprinkling is being carried out to minimize the dust generation on unpaved surfaces. |
| 35. | All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask. | The construction and demolition waste i.e. debris etc. will be used in backfilling of excavated areas or road development within the project premises. The workers engaged at construction site have been provided proper PPE's to ensure their good health. |
| 36. | Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding mandatory implementation of dust mitigation measures for construction and demolition activities for projects requiring environmental clearance shall be complied with. | Kindly refer the Point no. 34 as mentioned above. |
| 37. | The gaseous emissions from DG sets shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms. | Acoustically treated DG sets with adequate stack height as per CPCB/SPCB norms will be provided to disperse the emissions. |
| 38. | For indoor air quality the ventilation provisions as per National Building Code of India shall be provided. | Will be complied with applicable norms of NBC / local building bye laws. |
| 39. | Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and | Ambient air quality along with noise quality will be monitored during the construction phase of the project and adequate measures |

| | | |
|--|--|--|
| | Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB. | will be taken to confirm the stipulated standards by CPCB/SPCB. |
| Green Cover | | |
| 40. | Green-belt & avenue plantation of trees over the area of 31,529 m ² (32% of total plot area) shall be done using native tree species / shrubs improving greenery & keeping in view aesthetics considerations in the whole complex. No tree cutting / transplantation of existing trees has been proposed in the instant project. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and / or invasive species should not be used for landscaping. The plantation of trees shall be completed in the construction phase. | Will be complied with. |
| Top Soil Preservation and Reuse | | |
| 41. | Top soil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site. | Will adhere to. |
| Transport | | |
| 42. | A comprehensive mobility plan, as per Ministry of Urban Development best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public and private networks. Road should be designed with due consideration for environment and safety of users. The road system can be designed with these basic criteria: <ul style="list-style-type: none"> • Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. | Will be complied with as per the applicable norms / local building bye laws. |

[Handwritten signature]

| | | |
|-----|---|--|
| | <ul style="list-style-type: none"> • Traffic calming measures • Proper design of entry and exit points • Parking norms as per local regulation | |
| 43. | A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. | Effective and scientifically designed traffic management plan will be followed within the proposed project premises. |
| 44. | This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D. / competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments. | The proposed development will be carried out in confirmation to local building bye laws and as per the plan approved by BDO. The development in surrounding area which may be developed by other agencies will follow their own responsibility to get the requisite permission from competent authorities before doing any development activity. |
| 45. | Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours. | PUC (Pollution under check) certified vehicles is being used at site during non-peak hours to bring the construction material at site. |
| | Environment Management Plan | |
| 46. | An Environmental Management Plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy Efficiency and conservation, water efficiency and | The EMP submitted to SEIAA, Odisha will be followed to implement the same at site. Also, an Environment Monitoring Cell (EMC) will be set up for Manoharpur Coal Mine Project which will ensure the effective implementation and monitoring of EMP at site. |

JK

| | | |
|---------------|--|---|
| | conservation, solid waste management, renewable energy etc. are kept operational and meet the required standards. The environmental cell shall also keep the record of environment monitoring and those related to the environment infrastructure. | |
| 47. | The project proponent shall implement environmental monitoring programme as per details submitted in EMP and submit monitoring reports to RO, MoEF&CC and SPCB on six monthly basis. | Will adhere to. |
| 48. | All the conditions, liabilities and legal provisions contained in the Environmental Clearance shall be equally applicable to the successor management of the project in the event of the project proponent transferring the ownership, maintenance of management of the project to any other entity. | Agreed. |
| Others | | |
| 49. | Provisions shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project. | Mostly local labor is being and will be hired for the proposed project. However, skilled/semi-skilled labor which can be hired from outside by the contractor will provide the basic amenities i.e. temporary structure, toilet facility, drinking water facility etc. The temporary structures will be removed after completion of the said project. |
| 50. | A first aid room shall be provided in the project both during construction and operation of the project. | First aid box facility has been provided at site. |
| 51. | The company shall draw up and implement Corporate Social Responsibility plan as per the Company's Act 2013. | CSR is being carried out as per the Company's Act 2013 w.r.t. Manoharpur Coal Mine Project as the said project is being constructed to facilitate the residential facility for the employee of OCPL. |
| 52. | As per the MoEF&CC, Govt. of India Office Memorandum F.No.22-65/2017-IA.III dated 1 st May 2018, the project proponent is required to prepare and implement Corporate Environment Responsibility (CER) Plan. As per para 6(II) of the said O.M. appropriate funds shall be earmarked for the | Will comply with as per applicable norms. |

| | | |
|--|---|--|
| | <p>activities such as infrastructure creation for drinking water supply, sanitation, health, education, skill development, roads, cross drains, electrification including solar power, solid waste management facilities, scientific support and awareness to local farmers to increase yield of crop and fodder, rain water harvesting, soil moisture conservation works, avenue plantation, plantation in community areas etc. The activities proposed under CER shall be restricted to the affected area around the project. The entire activities proposed under the CER shall be treated as project and shall be monitored. The monitoring report shall be submitted to the regional office as a part of half yearly compliance report and to the District Collector. It should be posted on the website of the project proponent.</p> | |
|--|---|--|

Part B - GENERAL CONDITIONS:

| | | |
|----|--|--|
| 1. | The project proponent shall comply with all the conditions stipulated in the building approval letter. | Agreed. |
| 2. | The applicant (Project Proponent) will take necessary measures for prevention, control and mitigation of Air Pollution, Water Pollution, Noise Pollution and Land Pollution including solid waste management as mentioned by them in Form-1, Form-1A, and Environment Management Plan (EMP) in compliance with the prescribed statutory norms and standards. | EMP plan submitted to SEIAA, Odisha will be followed to prevent, control & mitigate the air pollution, water pollution, noise pollution etc. |
| 3. | A copy of the Environmental Clearance letter shall also be displayed on the website of the concerned State Pollution Control Board. The EC letter shall also be displayed at the Regional Office, District Industries centre and Collector's Office / Tehsildar's office for 30 days. | Agreed. |
| 4. | The project proponent has earmarked Rs 40.6 lakhs as capital cost & Rs. 12.2 lakhs as recurring cost towards environmental protection measures for the project. The | Will comply with. |

Jah

| | | |
|----|---|---|
| | <p>funds earmarked for environmental protection measures shall be kept in separate account and shall not be diverted for other purpose. Year-wise expenditure shall be reported to the SEIAA, Odisha and MoEF&CC, Govt. of India and its concerned Regional Office, SPCB.</p> | |
| 5. | <p>The applicant will submit half-yearly compliance report on post-environmental monitoring in respect of the stipulated terms and conditions in the Environmental Clearance to the State Environmental Impact Assessment Authority (SEIAA) Odisha, RO MoEF&CC BSBR, SPCB, CPCB on 1st June and 1st December of each calendar year and upload the compliance report in the website of the Ministry.</p> | Is being complied. |
| 6. | <p>Officials from the Regional Office of MoEF&CC, Bhubaneswar who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents/data by the project proponents during their inspection.</p> | Agreed. |
| 7. | <p>In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by the SEIAA, Odisha.</p> | Noted. |
| 8. | <p>The SEIAA Odisha reserve the right to add additional safeguards measures subsequently, if found necessary and to take action including revoking of the environment clearance under the provisions of the Environmental (Protection) act 1986, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.</p> | Agreed. |
| 9. | <p>All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosive, Fire Department, Civil Aviation Department, the Forest Conservation Act 1980 and the Wildlife (Protection) Act 1972 etc. shall be obtained as</p> | Will comply with as per applicable norms. |

SN

| | | |
|-----|---|---|
| | applicable by project proponents from the respective competent authorities. | |
| 10. | These stipulations would be enforced among others under the provisions of the Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) 1981, the Environment (Protection) Act 1986, the Public Liability (insurance) Act 1991 and the EIA Notification 2006. | Agreed. |
| 11. | The project proponent shall advertise in at least two local newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and copies of clearance letters are available with the State Pollution Control Board and may also be seen on the website of the SEIAA, Odisha. The advertisement shall be made within seven days from the date of receipt of the clearance letter and a copy of the same shall be forwarded to the Regional Office of MoEF&CC, Bhubaneswar. | <p>Advertisement was published in two widely circulated newspapers in the region as per the following:</p> <ul style="list-style-type: none"> (i) The Samaj (Odia Language) (ii) Business Standards, Bhubaneswar (English Language) <p>The copy of advertisement published in above newspapers has already been submitted to the Regional Office of MoEF&CC, Bhubaneswar vide letter no. OCPL/106 dated 04.02.2020.</p> |
| 12. | A copy of the environmental clearance letter shall be sent by the proponent to concern Panchayat, ZilaParishad / Municipal Corporation, Urban local body and local NGO, if any, from whom suggestion/representation, if any were received while processing the proposal. The clearance letter shall also be put on the website of the company by the proponent. | <p>The copy of Environmental Clearance (EC) granted for the said project has already been put on website of the company which can be seen at the following link:</p> <p>http://www.ocpl.org.in/Environment.asp</p> |
| 13. | The proponent shall submit/upload six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF&CC, Govt. of India, the respective zonal office of CPCB and the SPCB. The criteria pollutant levels namely SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical | Agreed and is being complied. |

| | | |
|-----|---|--|
| | sectoral parameters indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. | |
| 14. | The environmental statement for each financial year ending 31 st March in Form V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall be sent to the respective Regional Offices of the MoEF&CC, Govt. of India by E-mail. | OCPL would like state that Consent for Operation (CTO) under Section 25 of the Water (Prevention and Control of Pollution) Act, 1974 and under Section 21 of the Air (Prevention and Control of Pollution) Act, 1981 or both for the said project will be obtained after completion of construction and accordingly the aforesaid condition will be complied. An intimation letter in this regard has already been submitted to your good office vide letter no. OCPL/750 dated 28.09.2020. |
| 15. | Any appeal against this clearance shall lie with the National Green Tribunal, if preferred within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010. | Agreed. |

