

Letter No. OCPL/422 Date: 21 05 20 20

Odisha Coal and Power Limited (A Government of Odisha Company) CIN U10100OR2015SGC018623 Website: www.ocpl.org.in

To,

The Member Secretary,
State Environment Impact Assessment Authority (SEIAA), Odisha
Qr. No. 5RF-2/1, Unit-IX,
Bhubaneswar – 751022

Sub: Submission of Half Yearly Compliance Report of the Environmental Clearance conditions of "OCPL Mines Colony – Manoharpur Township Project in a plot area of 98256.92 Sq.mt over an area of 24.28 acres with built-up area of 37622 Sq.mt" at Sarbahal Village, Tehsil Hemgiri, District Sundargarh of Odisha Coal & Power Limited.

Ref: (i) EC letter Ref. No. 7669/SEIAA (SEIAA File No. 111991/05-MIS/07-2019) dated 13.12.2019 (Refer Appendix I)

Dear Sir,

In reference to the notification issued by MoEF&CC vide letter S.O. 5845 (E) dated 26.11.2018 and Environmental Clearance as referred above in respect of "OCPL Mines Colony – Manoharpur Township Project" of Odisha Coal & Power Limited located at Sarbahal Village, Tehsil Hemgiri, Dist. Sundargarh, Odisha. Please find enclosed herewith Half Yearly Compliance Report in soft copy (CD) as well as hard copy for the period of October 2019 to March 2020.

This is for your kind information and needful action at your end.

Yours Faithfully

**Authorized Signatory** 

# Copy to:

- 1. The Joint Director(s), Regional Office, Eastern Region, Ministry of Environment, Forest & Climate Change, A-3, Chandrasekharpur, Bhubaneswar-751023
- 2. The Scientist ('E' & Regional Directorate), Central Pollution Control Board, South end Conclave, Block 502, 5<sup>th</sup> & 6<sup>th</sup> Floors, 1582 Razidanga Main Road, Kolkata-700107.
- 3. The Member Secretary, State Pollution Control Board, Odisha, Paribesh Bhawan, A/118, Nilkanthnagar, Unit VIII, Bhubaneswar 751012

# HALF YEARLY COMPLIANCE REPORT For Environmental Conditions

October 2019 - March 2020

OCPL MINES COLONY - MANOHARPUR TOWNSHIP PROJECT



Odisha Coal & Power Limited,
Zone-A, Ground Floor,
Fortune Tower, Bhubaneswar-751023, Odisha
Web: www.ocpl.org.in



# POST ENVIRONMENTAL CLEARANCE (EC) COMPLIANCE REPORT

OCPL Mines Colony – Manoharpur Township Project EC Letter Ref. No. 7669/SEIAA (SEIAA File No: 111991/05-MIS/07-2019) Dated 13.12.2019

Sr. No.	EC Letter Condition	Compliance
PART A - SPECIFIC CONDITIONS		
1.	Consent to Establish / Operate for the	Consent to Establish (CTE) has been
	project shall be obtained from the State	obtained from Odisha State Pollution
	Pollution Control Board as required under	Control Board.
	the Air (Prevention and Control of Pollution)	
	Act, 1981 and the Water (Prevention and	
	Control of Pollution) Act, 1974.	5
2.	The approval of the competent authority	Will be complied with as per local building
	shall be obtained for structural safety of	bye laws or applicable norms.
	buildings due to earthquakes, adequacy of	
	firefighting equipment etc. as per National	
	Building Code including protection	10
	measures from lightening etc.	
3.	The project proponent shall obtain all	Agreed.
	necessary clearance / permission from all	
	relevant agencies including town planning	
	authority before commencement of work.	
	All the construction shall be done in	
	accordance with the local building byelaws.	
4.	The project proponent shall ensure that the	Noted.
	guidelines for building and construction	
	projects issued vide this Ministry's OM No.	
,	19-2/2013-IA.III dated 9 <sup>th</sup> June, 2015 are	
	followed to ensure sustainable	
	environmental management.	
5.	The proponent shall ensure natural	Agreed.
	environmental amenities of the area	OCPL would like to submit that the Site
	preserved in the township. Elephant proof	Specific Wildlife Conservation Plan for
	barrier shall be provided.	Manoharpur Coal Mine Project (MCMP)
		has been approved by Principal Chief
		Conservator of Forests (PCCF-WL) & Chief
		Wildlife Warden (CWW), Odisha which will
		be implemented.
Topograp	phy and Natural Drainage	1
6.	The natural drain system should be	Due care will be taken during the cutting and
	maintained for ensuring unrestricted flow of	filling operations to minimize the same. Also,



water. No construction shall be allowed to obstruct the natural drainage through the site, on wetland and water bodies. Check dams, bio-swales, landscape and other Sustainable Urban Drainage System (SUDS) are allowed for maintaining the drainage pattern and to harvest rain water. Building shall be designed to follow the natural topography as much as possible. Minimum cutting and filling should be done.

As proposed, fresh water requirement from

scientifically designed storm water drainage network will be provided so that natural drainage of the project area will not get obstruct.

# Water Requirement, Conservation, Rain Water Harvesting, and Ground Water Recharge

Noted.

	Hirakud Reservoir shall not exceed 129 KLD.
8.	A certificate shall be obtained from the local
	body supplying water, specifying the total
	annual water availability with the local
	authority, the quantity of water already
	committed, the quantity of water allotted to
	the project under consideration and the
	balance water available. This should be
	specified separately for ground water and
	surface water sources, ensuring that there is
	no impact on other users.

7.

Approval for withdrawal of water from Hirakud Reservoir has been obtained from Dept. of Water Resources, Govt. of Odisha.

9. The quantity of fresh water usage, water recycling and rain water harvesting shall be measured and recorded to monitor the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC and SEIAA, Odisha along with six monthly monitoring reports.

Currently, the proposed project is under construction stage. Hence, this condition will be complied with during the operation phase of the said project.

10. Installation of dual pipe plumbing for supplying fresh water for drinking, cooking and bathing etc. and other for supply of recycled water for flushing, landscape irrigation, car washing, thermal cooling, conditioning etc. shall be done.

Dual plumbing pipeline for domestic water and waste water will be provided within the project premises. Also, the treated recycled waste water to be obtained from STP will be utilized in landscaping / irrigation.

11. Use of water saving devices / fixtures (viz. low flow flushing systems; use of low flow faucets tap aerators etc.) for water conservation shall be incorporated in the building plan.

Water conservation measures to the possible extent will be adopted to save the water.



12.	Separation of grey and black water should be	Kindly refer point no. 10 as mentioned
	done by the use of dual plumbing system. In	above.
	case of single stack system separate	
	recirculation lines for flushing by giving dual	
	plumbing system be done.	
13.	Water demand during construction should be	Noted.
	reduced by use of pre-mixed concrete, curing	
14773	agents and other best practices referred.	
14.	The local bye-law provisions on rain water	Rain water harvesting will be implemented
	harvesting should be followed. If local bye-law	in confirmation to local building bye laws.
	provision is not available, adequate provisions	
	for storage and recharge should be followed	
	as per the Ministry of Urban Development	
	Model Building Byelaws, 2016. Rain water	
	harvesting recharge pits of adequate nos.	
	shall be provided.	
15.	Any ground water dewatering should be	Not applicable as no ground water
	properly managed and shall conform to the	dewatering is proposed in the said project.
	approvals and the guidelines of the CGWA in	Proponent has obtained the permission for
	the matter. Formal approval shall be taken	withdrawal of water from Hirakud Reservoir
	from the CGWA for any ground water	from Water Resource Department, Govt. of
	abstraction or dewatering. The proponent	Odisha.
	shall also obtain permission from Water	
	Resources Department, Govt. of Odisha for	
	drawal of water.	
16.	A complete plan for rainwater harvesting at	Kindly refer the Point no. 14 as mentioned
	the proposed site shall be drawn up and	above.
	implemented before operation phase in letter	
	and spirit to recharge ground water in the	
	area. The complete rainwater harvesting plan	
	after implementation shall be submitted to	
	SEIAA.	
Solid Wast	e Management	
17.	The provisions of the Solid Waste	Will be complied with as per applicable
	(Management) Rules, 2016, E-Waste	norms.
	(Management) Rules 2016, and the Plastic	
	Waste (Management) Rules 2016 shall be	
	followed.	
		Noted.
18.	Disposal of Muck during construction bhase	
18.	Disposal of muck during construction phase shall not create any adverse effect on the	, motes.
18.	shall not create any adverse effect on the	, world .
18.	· ·	

	safety and health aspects of people, only in	
	approved sites with the approval of	\$5
	competent authority.	
1 <del>9</del> .	Separate wet and dry bins must be provided	Noted and will be complied with during the
	in each unit and at the ground level for	operation phase of the said project.
	facilitating segregation of waste. Solid waste	
	shall be segregated into wet garbage and inert	
	materials. Wet garbage shall be composted in	
	Organic Waste Converter. Adequate area	
	shall be provided for solid waste management	
	within the premises which will include area	
	for segregation, composting. The inert waste	
	from group housing project will be sent to	
	dumping site.	
20.	The proponent shall mandatorily install	Agreed.
	Organic Waste Converter for solid waste	
	management within the premises before start	
	of operation phase.	
21.	Any hazardous waste generated during	Agreed.
	construction phase, shall be disposed off as	a
	per applicable rules and norms with necessary	
	approvals of the State Pollution Control	
	Board.	
22.	A certificate from the competent authority	Noted.
	handling municipal solid wastes, indicating	
	the existing civic capacities of handling and	
	their adequacy to cater to the Municipal Solid	
	Waste generated from project shall be	
	obtained.	
ewage Ti	reatment Plant & Maintenance	
23.	Sewage shall be treated in 2 nos. of STP of	Agreed and will be complied with.
	capacities 50 KLD and 70 KLD respectively.	
	The treated effluent from STP shall be	
	recycled/re-used for flushing, gardening and	
	DG cooling. STP's of two nos. of 50 KLD and 70	
	KLD capacity shall be installed before start of	
	the operation phase of the building.	
24.	Approval from the competent authority shall	Not applicable as the project proponent wil
	be obtained for discharging treated effluent /	not discharge any treated/untreated
	untreated effluents into the public sewer /	effluent outside the project premises.
	disposal / drainage systems along with the	

25.	No sewage or untreated effluent water would be discharged through storm water drains.	Agreed and Noted.
26.	The installation of the Sewage Treatment Plant (STP) shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Odisha before the project is commissioned for operation. Periodical monitoring of water quality of treated sewage shall be conducted and report shall be submitted to SPCB. Necessary measures should be made to mitigate the odour problem from STP.	Agreed and will be complied with during the operation phase of the said project.  Sludge to be generated from onsite sewage
	including septic tanks, shall be collected, conveyed and disposed as per the Ministry of Urban Development, Central Public Health and Environmental Engineering Organization (CPHEEO) manual on Sewerage and Sewage Treatment systems, 2013.	treatment plant will not be hazardous in nature and can be used as organic manure in the landscaping / horticulture development within the project premises.
Energy Co	nservation	
28.	Compliance with the Energy Conservation Building Code (ECBC) of Bureau of Energy Efficiency shall be ensured. Buildings in the states which have notified their own ECBC, shall comply with the state ECBC. Outdoor and common area lighting shall be LED. Concept of passive solar design that minimize energy consumption in buildings by using design elements, such as building orientation, landscaping efficient building envelope, appropriate fenestration, increased day lighting design and thermal mass etc. shall be incorporated in the building design. Wall, window and roof u-values shall be as per ECBC specifications.	Trade off approach will be used to comply this condition.  LED will be provided for lighting of outdoor and common areas.
29.	Energy conservation measures like installation of CFLs/LED for the lighting the area outside the building.	Noted and will comply with during operation phase.
30.	Solar, wind or other renewable energy shall be mandatorily installed to meet electricity generation equivalent to 5% of the demand load or as per the state level / local building	Solar panel of 25 Kwp will be provided within the site to meet the electricity generation equivalent to 5% of total power demand of the said project.

	bye-laws requirement, whichever is higher.	
	Follow super ECBC requirement of ECBC 2017	
	and provide compliance report.	
31.	Solar power shall be used for lighting in the	Kindly refer the Point no. 30 as mentioned
	apartment to reduce the power load on grid.	above.
	Separate electric meter shall be installed for	
	solar power. Solar water heating shall be	
	provided to meet 20% of the hot water	
	demand of the commercial and institutional	
	building or as per the requirement of the local	
	building bye-laws requirement, whichever is	
	higher. Residential buildings are also	
	recommended to meet its hot water demand	
	from solar water heaters as far as possible.	
32.	Use of environment friendly materials in	Environment friendly material i.e. fly ash
	bricks, blocks and other construction	bricks, RMC etc. will be used as building
	materials, shall be required for at least 20% of	material in the construction of the said
	the construction material quantity. These	project.
	include fly ash bricks, hollow bricks, AACs, Fly	
	ash lime gypsum blocks, compressed earth	
	blocks and other environment friendly	
	materials. Fly ash should be used as building	
	material in the construction as per the	
	provisions of Fly Ash Notification of	
	September, 1999 and amended as on 27th	
	August 2003 and 25th January 2016. Ready	
	mixed concrete must be used in building	
	construction.	
33.	A certificate of adequacy of available power	Noted and will comply with.
	from the agency supplying power to the	
	project along with the load allowed for the	
	project shall be submitted.	
Air Quality	y and Noise Quality Monitoring & Preservation	
34.	Construction site shall be adequately	The construction site has been adequately
	barricaded before the construction begins.	barricaded to prevent the dust, smoke &
	Dust, smoke, & other air pollution prevention	other air pollutants.
	measures shall be provided for the building as	Building construction material i.e. sand
	well as the site. There measures shall include	cement etc. will be covered properly with
	screens for the building under construction,	tarpaulin sheet, green nets, jute bags etc. to
	continuous dust / wind breaking walls around	control the dust emissions.
	the site (at least 3 meter height). Plastic /	
	tarpaulin sheet covers shall be provided for	
		L

	vehicles bringing in sand, cement, murram and other construction materials prone to	Water sprinkling will be carried out to minimize the dust generation on unpaved
	taking out debris from the site. Sand, murram, loose soil, cement, stored on site shall be	surfaces.
	covered adequately so as to prevent dust pollution. Wet jet shall be provided for grinding and stone cutting. Unpaved surfaces	
	and loose soil shall be adequately sprinkled with water to suppress dust.	
35.	All construction and demolition debris shall be stored at the site (and not dumped on the roads or open spaces outside) before they are properly disposed. All demolition and construction waste shall be managed as per	The construction and demolition waste i.e. debris etc. will be used in backfilling of excavated areas or road development within the project premises.
	the provisions of the Construction and Demolition Waste Rules, 2016. All workers working at the construction site and involved in loading, unloading, carriage of construction material and construction debris or working in any area with dust pollution shall be provided with dust mask.	The workers working at construction at site will be provided the proper PPE's to ensure their good health.
36.	Notification GSR 94(E) dated 25.01.2018 of MoEF&CC regarding mandatory implementation of dust mitigation measures for construction and demolition activities for projects requiring environmental clearance shall be complied with.	Kindly refer the Point no. 34 as mentioned above.
37.	The gaseous emissions from DG sets shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution. Low sulphur diesel shall be used. The location of DG set and exhaust pipe height shall be as per the provisions of the Central Pollution Control Board (CPCB) norms.	Acoustically treated DG sets with adequate stack height as per CPCB/SPCB norms will be provided to disperse the emissions.
38.	For indoor air quality the ventilation provisions as per National Building Code of India shall be provided.	Will be complied with applicable norms of NBC / local building bye laws.
39.	Ambient noise levels shall conform to residential standard both during day and night as per Noise Pollution (Control and	Ambient air quality along with noise quality will be monitored during the construction phase of the project and adequate measures

Regulation) Rules, 2000. Incremental pollution loads on the ambient air and noise quality shall be closely monitored during construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.

will be taken to confirm the stipulated standards by CPCB/SPCB.

### **Green Cover**

40. Green-belt & avenue plantation of trees over the area of 31,529 m<sup>2</sup> (32% of total plot area) shall be done using native tree species / shrubs improving greenery & keeping in view aesthetics considerations in the whole complex. No tree cutting / transplantation of existing trees has been proposed in the instant project. The existing trees will be counted for this purpose. The landscape planning should include plantation of native species. The species with heavy foliage, broad leaves and wide canopy cover are desirable. Water intensive and / or invasive species should not be used for landscaping. The plantation of trees shall be completed in the construction phase.

Will be complied with.

#### **Top Soil Preservation and Reuse**

Top soil should be stripped to a depth of 20 cm from the areas proposed for buildings, roads, paved areas and external services. It should be stockpiled appropriately in designated areas and reapplied during plantation of the proposed vegetation on site.

Will adhere to.

# **Transport**

42. A comprehensive mobility plan, as per Ministry of Urban Development best practices guidelines (URDPFI), shall be prepared to include motorized, non-motorized, public and private networks. Road should be designed with due consideration for environment and safety of users. The road system can be designed with these basic criteria:

 Hierarchy of roads with proper segregation of vehicular and pedestrian traffic. Will be complied with as per the applicable norms.



	Traffic calming measures	
	Proper design of entry and exit points	
	Parking norms as per local regulation	
43.	A detailed traffic management and traffic- decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project.	Effective and scientifically designed traffic management plan will be followed within the proposed project premises.
44.	This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D. / competent authority for road augmentation and shall also have their consent to the implementation of components of the plan which involve the participation of these departments.	The proposed development will be carried out in confirmation to local building bye laws and due permission will be obtained from the concerned authorities.  The development in surrounding area which may be developed by other agencies will follow their own responsibility to get the requisite permission from competent authorities before doing any development activity.
45.	Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards be operated only during non-peak hours.	PUC (Pollution under check) certified vehicles will be used at site during non-peak hours to bring the construction material at site and record of the PUC's will be maintained at site.
	Environment Management Plan	
46.	An Environmental Management Plan (EMP) shall be prepared and implemented to ensure compliance with the environmental conditions specified above. A dedicated Environment Monitoring Cell with defined functions and responsibility shall be put in place to implement the EMP. The environmental cell shall ensure that the environment infrastructure like Sewage Treatment Plant, Landscaping, Rain Water Harvesting, Energy Efficiency and conservation, water efficiency and	The EMP submitted to SEIAA, Odisha will be followed to implement the same at site.  Also, an Environment Monitoring Cell (EMC) will be set up for Manoharpur Coal Mine Project which ensure the effective implementation and monitoring of EMP at site.

	conservation, solid waste management,	
	renewable energy etc. are kept operational	
	and meet the required standards. The	
	environmental cell shall also keep the record	
	of environment monitoring and those related	
	to the environment infrastructure.	9
47.	The project proponent shall implement	Will adhere to.
	environmental monitoring programme as per	24
	details submitted in EMP and submit	
	monitoring reports to RO, MoEF&CC and	
	SPCB on six monthly basis.	
48.	All the conditions, liabilities and legal	Agreed.
	provisions contained in the Environmental	
	Clearance shall be equally applicable to the	
	successor management of the project in the	
	event of the project proponent transferring	
	the ownership, maintenance of management	
	of the project to any other entity.	
Others	or the project to any other charge.	
49.	Provisions shall be made for the housing of	Mostly local labor will be hired for the
45.	construction labour within the site with all	proposed project. However, skilled/semi-
		skilled labor which can be hired from outside
	necessary infrastructure and facilities such as	
	fuel for cooking, mobile toilets, mobile STP,	by the contractor will provide the basic
	safe drinking water, medical health care,	amenities i.e. temporary structure, toilet
	crèche etc. The housing may be in the form of	facility, drinking water facility etc.
	temporary structures to be removed after the	The temporary structures will be removed
	completion of the project.	after completion of the said project.
50.	A first aid room shall be provided in the	Will adhere to.
	project both during construction and	
	operation of the project.	
51.	The company shall draw up and implement	CSR will be carried out as per the Company's
	Corporate Social Responsibility plan as per the	Act 2013.
	Company's Act 2013.	
<sup>6</sup> 52.	As per the MoEF&CC, Govt. of India Office	Will comply with as per applicable norms.
	Memorandum F.No.22-65/2017-IA.III dated	15
	1 <sup>st</sup> May 2018, the project proponent is	
	required to prepare and implement	
	Corporate Environment Responsibility (CER)	
	Plan. As per para 6(II) of the said O.M.	
	appropriate funds shall be earmarked for the	
	activities such as infrastructure creation for	
	drinking water supply, sanitation, health,	

	1 1	
	education, skill development, roads, cross	
	drains, electrification including solar power,	
	solid waste management facilities, scientific	
	support and awareness to local farmers to	
	increase yield of crop and fodder, rain water	
	harvesting, soil moisture conservation works,	
i	avenue plantation, plantation in community	
	areas etc. The activities proposed under CER	
	shall be restricted to the affected area around	
	the project. The entire activities proposed	
	under the CER shall be treated as project and	0
	shall be monitored. The monitoring report	
	shall be submitted to the regional office as a	
	part of half yearly compliance report and to	
	the District Collector. It should be posted on	
	the website of the project proponent.	
Part B - GE	VERAL CONDITIONS:	
1.	The project proponent shall comply with all	Agreed.
	the conditions stipulated in the building	
	approval letter.	
2.	The applicant (Project Proponent) will take	EMP plan submitted to SEIAA, Odisha will be
	necessary measures for prevention, control	followed to prevent, control & mitigate the
	and mitigation of Air Pollution, Water	air pollution, water pollution, noise pollution
	Pollution, Noise Pollution and Land Pollution	etc.
	including solid waste management as	
	mentioned by them in Form-1, Form-1A, and	
	Environment Management Plan (EMP) in	110
	compliance with the prescribed statutory	
	norms and standards.	
3.	A copy of the Environmental Clearance letter	Agreed.
	shall also be displayed on the website of the	
	concerned State Pollution Control Board. The	
	EC letter shall also be displayed at the	
	Regional Office, District Industries centre and	
	Collector's Office / Tehsildar's office for 30	
:	days.	
4.	The project proponent has earmarked Rs 40.6	Will comply with.
7,	lakhs as capital cost & Rs. 12.2 lakhs as	The second secon
	recurring cost towards environmental	
	protection measures for the project. The	
	funds earmarked for environmental	
	protection measures shall be kept in separate	
	protection measures snail be kept in separate	

	account and shall not be diverted for other	
	purpose. Year-wise expenditure shall be	
	reported to the SEIAA, Odisha and MoEF&CC,	
	Govt. of India and its concerned Regional	
	Office, SPCB.	
5.	The applicant will submit half-yearly	Is being complied.
	compliance report on post-environmental	
	monitoring in respect of the stipulated terms	
	and conditions in the Environmental	
	Clearance to the State Environmental Impact	
	Assessment Authority (SEIAA) Odisha, RO	
	MoEF&CC BSBR, SPCB, CPCB on 1st June and	
	1st December of each calendar year and	
	upload the compliance report in the website	
	of the Ministry.	
6.	Officials from the Regional Office of	Agreed.
	MoEF&CC, Bhubaneswar who would be	
	monitoring the implementation of	
	environmental safeguards should be given full	
	cooperation, facilities and documents/data	
	by the project proponents during their	
	inspection.	
7.	In the case of any change(s) in the scope of	Noted.
	the project, the project would require a fresh	
	appraisal by the SEIAA, Odisha.	
8.	The SEIAA Odisha reserve the right to add	Agreed.
	additional safeguards measures	
	subsequently, if found necessary and to take	
	action including revoking of the environment	
	clearance under the provisions of the	
	Environmental (Protection) act 1986, to	
	ensure effective implementation of the	
	suggested safeguard measures in a time	
	bound and satisfactory manner.	
9.	All other statutory clearances such as the	Will comply with as per applicable norms.
5.	approvals for storage of diesel from Chief	, , , , , , , , , , , , , , , , , , , ,
	1	
	Controller of Explosive, Fire Department, Civil	
	Aviation Department, the Forest	
	Conservation Act 1980 and the Wildlife	
	(Protection) Act 1972 etc. shall be obtained as	
	applicable by project proponents from the	
	respective competent authorities.	



10. These stipulations wo	uld be enforced among	Agreed.
	ovisions of the Water	Agreeu.
	ntrol of Pollution) Act	
	ention and Control of	
	nvironment (Protection)	
	Liability (insurance) Act	
1991 and the EIA Noti		
11. The project propone	nt shall advertise in at	Advertisement was published in two widely
least two local newsp	papers widely circulated	circulated newspapers in the region as per
in the region, one of	f which shall be in the	the following:
vernacular language	informing that the	(i) The Samaj (Odia Language)
project has been a	ccorded Environmental	(ii) Business Standards,
Clearance and copies	of clearance letters are	Bhubaneswar (English Language)
available with the S	State Pollution Control	
Board and may also be	e seen on the website of	The copy of advertisement published in
the SEIAA, Odisha. The	e advertisement shall be	above newspapers has already been
made within seven	days from the date of	submitted to the Regional Office of
receipt of the clearar	ice letter and a copy of	MoEF&CC, Bhubaneswar vide letter no.
	warded to the Regional	OCPL/106 dated 04.02.2020.
Office of MoEF&CC, B		,
	mental clearance letter	The copy of Environmental Clearance (EC)
	proponent to concern	granted for the said project has already been
Panchayat, ZilaPar		put on website of the company which can be
	cal body and local NGO,	seen at the following link:
if any,	from whom	http://www.ocpl.org.in/Environment.asp
"	ation, if any were	Telepini giini Elivino iini elivino iini elivino iini elivino iini elivino eli
	ssing the proposal. The	
	Il also be put on the	
website of the compa	•	
		Agreed and is being complied
	all submit/upload six	Agreed and is being complied.
	he status of compliance	
	nvironmental Clearance	
	results of monitored	
	e and shall update the	
	shall simultaneously be	
	Office of the MoEF&CC,	
	espective zonal office of	
CPCB and the SPCB	. The criteria pollutant	
levels namely SPM, RS	SPM, SO2, NOx (ambient	
levels as well as stage	ck emissions) or critical	
sectoral parameters i	ndicated for the project	
shall be monitored	and displayed at a	

	convenient location near the main gate of the	
	company in the public domain.	
14.	The environmental statement for each	Will adhere to.
	financial year ending 31st March in Form V as	
	is mandated to be submitted by the project	
	proponent to the concerned State Pollution	
	Control Board as prescribed under the	
	Environment (Protection) Rules, 1986, as	
	amended subsequently, shall also be put on	
	the website of the company along with the	
	status of compliance of EC conditions and	
	shall be sent to the respective Regional	
	Offices of the MoEF&CC, Govt. of India by E-	T T
	mail.	
15.	Any appeal against this clearance shall lie with	Agreed.
	the National Green Tribunal, if preferred	
	within a period of 30 days as prescribed under	
	Section 16 of the National Green Tribunal Act,	
	2010.	

